



MANNOL Longlife 504/507 5W-30 7715

- Universal fully synthetic premium engine oil (contains PAO) for modern petrol and diesel engines of VW group cars (including direct injection) with and without turbocharging, including those equipped with pump-injectors (Pumpe-Düse).

Product properties:

- Due to its special friction modifiers, it has excellent anti-wear, anti-seize and anti-friction properties, which ensures long and trouble-free operation of the pump-injector system and the entire gas distribution system, reducing cam wear;
- Due to its excellent detergent and dispersant properties and high thermal-oxidative stability, it effectively prevents all kinds of deposits and keeps engine separate parts clean throughout the entire oil change interval;
- Saves fuel thanks to its optimal anti-friction properties;
- The fully synthetic base ensures a low pour point (-45 °C and below) and ensures easy cold starting due to its exceptional turnability and pumping properties, which significantly reduces engine starting wear;
- Has optimal viscosity over a wide temperature range to ensure stable performance in all operating conditions, including city driving and overload;
- Due to its high thermal-oxidative stability, it resists ageing effectively;
- Compatible with all exhaust gas aftertreatment systems, DPF, TWC, EGR and SCR thanks to Mid SAPS technology;
- For use in engines with extended oil change intervals (Long Life up to 30.000 km) and conventional engines;
- Suitable for Liquefied Natural Gas (LNG) and Petroleum Gas (LPG) engines.

Designed for petrol and diesel EURO IV and EURO V engines for a wide range of VW vehicles (passenger cars, light off-road vehicles, vans and light trucks) with additional requirements for engine oils according to the 504 00/507 00 specification and the ones preceding it.

The oil is not suitable for use in heavy trucks and similar vehicles!

Specifications

SAE 5W-30
SAE 5W-30
SAE 5W-30
SAE 5W-30
API SN
SAE 5W-30
SAE 5W-30
API SN
API SN
API SN
API SN
API SN

ACEA C3
ACEA C3
ACEA C3
ACEA C3
ACEA C3
ACEA C3
MB 229.51
MB 229.51
MB 229.51
MB 229.51
MB 229.51
MB 229.51
VOLKSWAGEN 504 00
VOLKSWAGEN 504 00
VOLKSWAGEN 504 00
VOLKSWAGEN 507 00
VOLKSWAGEN 507 00
VOLKSWAGEN 507 00
VOLKSWAGEN TL 52 195
VOLKSWAGEN TL 52 195
VOLKSWAGEN TL 52 195
VOLKSWAGEN TL 52 195
VOLKSWAGEN TL 52 195
VOLKSWAGEN TL 52 195
BMW Longlife-04
BMW Longlife-04
BMW Longlife-04
BMW Longlife-04
BMW Longlife-04
BMW Longlife-04
PORSCHE C30
PORSCHE C30
PORSCHE C30
PORSCHE C30
PORSCHE C30
PORSCHE C30

Approval

VOLKSWAGEN 504 00 Approval
VOLKSWAGEN 504 00 Approval
VOLKSWAGEN 504 00 Approval
VOLKSWAGEN 507 00 Approval
VOLKSWAGEN 507 00 Approval
VOLKSWAGEN 507 00 Approval

Recommendation

PACKAGING

5L	MN7715-5	Plastic	
1000L	MN7715-IBC	Pallet tank	
208L	MN7715-DR	Drum	
60L	MN7715-60	Drum	
20L	MN7715-20	Plastic	
10L	MN7715-10	Plastic	
4L	MN7715-4	Plastic	4 pcs/box
1L	MN7715-1ME	Plastic	20 pcs/box
1L	MN7715-1	Plastic	20 pcs/box
1000L	MN7715NF-IBC	Pallet tank	
200L	MN7715-200		