



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.02.2019

Revision: 05.02.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: MANNOL Universal Long Term Grease WR2 Art.: 8093/8101/8105/8113/8093/8046**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Grease
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SCT-Vertriebs GmbH
Feldstrasse 154
22880 WEDEL
DEUTSCHLAND
info@sct-germany.de
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:** Giftinformationszentrum-Nord +49-551-19240

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 8020-83-5 EC number: 617-002-8	Hydrocarbon oils	Eye Dam. 1, H318	<100.0%
--	------------------	------------------	---------

· Not dangerous substances

CAS: 7620-77-1 EINECS: 231-536-5	Lithium 12-hydroxystearate		8–9%
CAS: 9010-79-1 EC number: 618-455-4	1-Propene, polymer with ethene		0.4–0.7%
CAS: 9003-29-6 NLP: 500-004-7	Butene, homopolymer (products derived from either/or But-1-ene/But-2-ene)	Flam. Liq. 2, H225; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Aquatic Chronic 4, H413	0.2–0.6%

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.02.2019

Revision: 05.02.2019

Trade name: MANNOL Universal Long Term Grease WR2 Art.: 8093/8101/8105/8113/8093/8046

		(Contd. of page 1)
CAS: 3159-62-4 EINECS: 221-605-8	Calcium(2+) 12-hydroxyoctadecanoate	0.2–0.5%
CAS: 68649-42-3 EINECS: 272-028-3	Ditiophospor acid O,O-diC1-14-alkilester. zinc salt	0.2–0.4%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 1305-62-0 EINECS: 215-137-3	calcium dihydroxide	0.01–0.02%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Generally the product does not irritate the skin.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**
Do not induce vomiting; call for medical help immediately.
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

- CO₂. Do not use water.
- Use fire extinguishing methods suitable to surrounding conditions.
- Foam
- Fire-extinguishing powder
- Sand

· For safety reasons unsuitable extinguishing agents: Water spray

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment:

No special measures required.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

- Ensure adequate ventilation
- Particular danger of slipping on leaked/spilled product.
- Wear protective clothing.

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.02.2019

Revision: 05.02.2019

Trade name: MANNOL Universal Long Term Grease WR2 Art.: 8093/8101/8105/8113/8093/8046

(Contd. of page 2)

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Pick up mechanically.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
Keep receptacles tightly sealed.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Store receptacle in a well ventilated area.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:**
Do not eat, drink, smoke or sniff while working.
Avoid contact with the eyes.
Avoid close or long term contact with the skin.
Wash hands before breaks and at the end of work.
The usual precautionary measures are to be adhered to when handling chemicals.
 - **Respiratory protection:** Not required.
 - **Protection of hands:**
Protective gloves and protective skin cream
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.02.2019

Revision: 05.02.2019

Trade name: MANNOL Universal Long Term Grease WR2 Art.: 8093/8101/8105/8113/8093/8046

(Contd. of page 3)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses**· Body protection:** Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties**· General Information****· Appearance:**

Form:	Pasty
Colour:	Brown
Odour:	Characteristic
Odour threshold:	Not determined.

· pH-value: Not applicable.**· Change in condition**

Melting point/freezing point:	180 °C
Initial boiling point and boiling range:	Undetermined.

· Flash point: >100 °C**· Flammability (solid, gas):** Not determined.**· Decomposition temperature:** Not determined.**· Auto-ignition temperature:** Product is not selfigniting.**· Explosive properties:** Product does not present an explosion hazard.**· Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· Vapour pressure: Not applicable.

Density at 20 °C:	~0.9 g/cm ³
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.

· Solubility in / Miscibility with water:

Insoluble.

· Partition coefficient: n-octanol/water: Not determined.**· Viscosity:**

Dynamic:	Not applicable.
Kinematic:	Not applicable.

· Solvent content:**VOC (EC)** 0.00 %

(Contd. on page 5)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.02.2019

Revision: 05.02.2019

Trade name: MANNOL Universal Long Term Grease WR2 Art.: 8093/8101/8105/8113/8093/8046

(Contd. of page 4)

- | | |
|--------------------------------|--|
| Solids content: | 100.0 % |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Carbon monoxide
Aldehyde
Poisonous gases/vapours
Carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

-GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.02.2019

Revision: 05.02.2019

Trade name: MANNOL Universal Long Term Grease WR2 Art.: 8093/8101/8105/8113/8093/8046

(Contd. of page 5)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.

· European waste catalogue

HP 4	Irritant - skin irritation and eye damage
------	---

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|-----------------|
| · 14.1 UN-Number | |
| · ADR, ADN, IMDG, IATA | not regulated |
| · 14.2 UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | not regulated |
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | not regulated |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | not regulated |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.02.2019

Revision: 05.02.2019

Trade name: MANNOL Universal Long Term Grease WR2 Art.: 8093/8101/8105/8113/8093/8046

(Contd. of page 6)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H413 May cause long lasting harmful effects to aquatic life.

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· *** Data compared to the previous version altered.**

GB